Work Orde Thursday, May 2							·				·		Page 1
Revision ID:	D205-596-10			Accept						Setup	Start Stop		1
	5/20/2010	Start Qty: 1.00 Req'd Qty: 1.00				Cust Item I Customer:	D:						i i i i i i i i i i i i i i i i i i
Approvals:	Process Pla	n:	Date:	SPC (Y/N):	2		ite:			Run	Start Stop		
Sequence ID/ Work Center II)	Operation Description		Set Up/ Run Hour	/ >	Draw Number	Draw Rev.	Plan Code	Accep Qty	t Rej		Reject Number	Insp. Stamp
Draw Nbr	Rev	ision Nbr						Couc		Qi,	,	- Tullibei	Stamp
D205-596	Rev	В						<		1			
DC Document Control		DOCUMENT CONTR Memo Photocopy		0.00 type labels per PPP D205-5	96-107	CHG002				/~ /-			
110 CNC Bend 2		BENDING MACHINE	- CROSSTUBES	0.00		•			à		X	МВ	10-05-
CNC Alpha 160 Ben	der		er Dwg D28 40 using C										P6->
120 Crosstubes Crosstubes	M.	Crosstudes Wemo Mark 20.3 as per Dwg	6" for cutting from tai	0.00 0.00 ngential line in the straight s	ection from	D2890	· · · · · ·	/	/				
	is. h	100								-			

Dart Ae	rospace	Ltd							• v
W/O:				WORK ORDER CHAN	IGES				•
DATE	STEP		PRO	OCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:D205	5-596-107 PAR	l #:	Fault Category: <u>火 - ↓ be ></u>	NCR: (e	No DQ	A:		506.N
	Re	esolution: <u>gcvv</u>	~	Disposition:	QA: N/C	Closed:	X	Date: _4	10/06/02
NCR: 5	8935		<u> </u>	WORK ORDER NON-CONFOR	MANCE (NO	R)			

NCR: 5	8935	W	ORK OR	DER NON-CONFORMANCE	(NCR)			
DATE	0750	Description of NC	Description of NC Corrective Action Section B Verif		Verification	Approval	Annroyal	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
Iolustei	100	come in bofor Foster than Come in bofor Foster than Content expected Companied	Josi ou z	-> Scrap + Destry Let +tuke.	1000,26	Heyo,	for our	S (w/26
		R.C. focsss.	1	> charse Poilo to say to run, chalco between Anyong 15/0/7.	A Social Property of the Parket of the Parke	10-5-26	105/2	colost26
NOTE O								

Work Order ID 58935 Thursday, May 20, 2010 9:07:18 AM Item ID: D205-596-107 **Revision ID:** Item Name: Crosstube Aft Extended Start Date: 5/20/2010 Start Qty: 1.00 Required Date: 6/7/2010 Req'd Qty: 1.00 Reference: Approvals: Process Plan: Sequence ID/ Operation **Work Center ID** 130

Accept



Setup Start

Stop



Cust Item ID:

Customer:

	·		
ess Plan:	Date:	Tooling:	Date:

Run

Start

Stop



Date:_____ QC:

SPC (Y/N):

0.00

0.00

6.00

Date:

Quality Control

Description

OC15- Crosstube Dimensional Check

Memo

Set Up/ **Run Hours** 0.00

Draw Number

Plan Draw Rev. Code Accept Qty

Reject Qty

Reject Number Stamp

Insp.

140

Crosstubes

Crosstubes

Crosstubes

Memo

1-Cut as per Dwg D205-596-107

2-Deburr & Inspect for surface damage Polish cut surface. Scribe part # and

batch # on one end of tube.

QC5- Inspect part completeness to step on W/O

150

Quality Control

Memo

0.00

Dart Aerospace Ltd	Dart	Aeros	pace	Ltd
--------------------	------	--------------	------	-----

W/O:			W	ORK ORDER CHANG	GES			 	P -
DATE	STEP	PRO	OCEDURE CH	ANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		3.00							
			<u> </u>						
				_					
Part No	:	PAR #:	Fault Cat	egory:	NCR: Yes	No DQ	\ :	Date:	
	Re	esolution:	Dispositi	on:	QA: N/C CI	osed:		Date: _	
NCR:		•	WORK ORI	DER NON-CONFORM	ANCE (NCF	1)			
DATE	STEP	Description of NC			etion B	Verific	ation	Approval	Approvai
		Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Secti	on C	Chief Eng	QC Inspector
									-
				,					
	. 1	1	1 1		1	1		ı	1

Work Order ID 58935

Thursday, May 20, 2010 9:07:18 AM



Page 3

Item ID:

D205-596-107

Accept

Setup Start



Revision ID:

Item Name:

Required Date: 6/7/2010

Crosstube Aft Extended

Start Date:

5/20/2010

Start Qty: 1.00

Req'd Qty: 1.00



Cust Item ID:

Customer:

Reference:

Approvals:	Process Plan:QC:	Date:	Tooling: SPC (Y/N):	Date:	- - <u>/</u>	/ I	Run Sta Sto		
Sequence ID/ Work Center II	Operation Description		Set Up/ Run Hours	Draw Draw Number Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp

160

HandFXtube

Hand Finishing Crosstubes

Description

Crosstubes Chemical Conversion

HandFinishing

Memo

0.00

0.00

0.00

Touch up ends of the tube with Chemical Conversion Coat per QSI 005 4.1

170

Quality Control

180

SprayPaint

Spray Painting

QC3- Inspect Part Finish

Memo

SprayPaint

Memo

0.00

0.00

1-Prime inside and outside with Immron per QSI 005 4.2

W/O:		44	W	ORK ORDER CHAN	GES	1107 in the 2			
DATE	STEP	PR(OCEDURE CH	ANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					-				
Part No	•	PAR #:	Fault Cate	egory:	NCR: Yes	No DQ	4 :	Date:	***************************************
	Res	solution:	Disposition	on:	QA: N/C Cld	sed:		Date: _	
NCR:			WORK ORD	ER NON-CONFORM	IANCE (NCR)			<u> </u>
DATE	STEP	Description of NC	Initial	Corrective Action Se Action Description	ction B	Verific		Approval	Approval
		Section A	Chief Eng	Chief Eng	Date	Section	on C	Chief Eng	QC Inspector
									-
		·							
									·

Work Order ID 58935

Thursday, May 20, 2010 9:07:18 AM



Page 4

Item ID:

D205-596-107

Accept



Setup Start

Stop



Revision ID:

Item Name:

Crosstube Aft Extended

Start Date:

5/20/2010

Start Qty: 1.00

Memo

Required Date: 6/7/2010 Req'd Qty: 1.00 **Cust Item ID:**

Customer:

Reference:

Quality Control

Approvals:	Process Plan:	Date:	Tooling:	Date:		R	un Sta	rt	
	QC:	Date:	SPC (Y/N):	Date:			Sto	p	
Sequence ID/ Work Center ID	Operation Description		Set Up/ Run Hours		Oraw Plan Rev. Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190	QC14- Inspect Spray Pain	t	0.00			C -3	Q -3	, value e	Stamp
QC Quality Control	Мето		0.00						,
200 Crosstubes	Crosstubes Memo		0.00		\sim \sim	W.) 		
Crosstubes	1- Lightly scu with 41058 w	off the bonded area using ash 'n' wipe nobond 6398 as per dware.	a 320 grit sand paper and clean D205-596-107 Magnobond 6 EXP:						
210	QC5- Inspect part complet	eness to step on W/O	0.00						
QC	Mamo		0.00				*************		

Dart Aerospac	ce	Ltd
---------------	----	-----

W/O:			W	ORK ORDER CHANG	GES				
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	•	PAR #:	Fault Cate	aon.	NCD: Vos	No BO	•-	Data	
		solution:							
NCR:				ER NON-CONFORM					
DATE	STEP	Description of NC			tion B	Verific	ation	Approval	Approval
	JILF	Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date	Secti		Chief Eng	QC Inspector
									-
			.]						
·									
			·						

Work Order ID 58935

Thursday, May 20, 2010 9:07:18 AM



Page 5

Item ID:

D205-596-107

5/20/2010

Accept



Setup Start



Revision ID:

Start Date:

Item Name:

Crosstube Aft Extended

Cust Item ID:

Customer:

Required Date: 6/7/2010

Start Qty: 1.00 Req'd Qty: 1.00

Reference:

Process	Plan:	

Date:

Tooling:

Date:

Start Run

Approvals:

QC:

Date:_____

SPC (Y/N):

Date:

Stop

Sequence ID/ **Work Center ID**

220

Packaging

Packaging

Operation Description

Packaging

Set Up/ **Run Hours**

0.00

Draw Number

Draw Rev.

Plan **Ç**∕ode

Accept Qty Qty

Reject Reject Number

Insp. Stamp

Memo

Identify and pack for shipping as per PPP D205-596-107

Location:

PPP Rev:

230

Quality Control

QC21- Final Inspection - Work Order Release

0.00

0.00

Memo

W/O:		WORK ORDER CHANGES										
DATE	STEP	PR	OCEDURE CH	ANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
Part No		PAR #:	Fault Cate	edory.	NCP: You	No DO	١	Data				
		olution:										
NCR:				ER NON-CONFORMA								
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Section Action Description Chief Eng	Section B ption Sign & Date		cation on C	Approval Chief Eng	Approval QC Inspector			
									-			
				,								

Thursday, May 20, 2010 9:07:24 AM

Work Order ID:	58935					
Parent Item:	D205-596-107					
Parent Item Name	: Crosstube Aft Exten		, , ; : : : : : : : : : : : : : : : : :	. Ham Balk (Rullen)	Start Date: 5	5/20/2010 Required Date: 6/7/2010
Comments:	IPP Rev:D□05.03.2 IPP Rev:E 08-01-1 IPP Rev F 08.04.2		DD	DD	Start Qty: 1	
Component Item I D2940-1			n Primary Last No	Route Unit of 200 Each	Qty on 45.0000 Qty per I	Kit Qty Date Status
D6008-180		Manufactured N	Location LG 45203 47748 52752 57338	45 45 16 8 20 Each	Loc Code 11.0000 1	
Crosstube Extrusion			Location LG	Loc Oty 11	Loc Code	MB 10-05-26
MS21920-28	 	Purchased	46779	11 200 Each	55.0000 4	
			Location FG 105884 LG 112624 112863 113776	5 5 5 50 2 46 2	Loc Code	

W/O:		WORK ORDER CHANGES								
DATE	STEP	PRO	OCEDURE CH	ANGE	Ву	By Date Qty Approval Chief Eng / Prod Mgr				
		•								
								:		
							<u> </u>			
Part No	:	PAR #:	Fault Cate	egory:	NCR: Yes I	No DQA:	Date:			
						Closed: Date:				
NCR:			WORK ORD	ER NON-CONFORMA	NCE (NCR)					
DATE	STEP	Description of NC	Description of NC Corrective Action			Verification	Approval	Approval		
	SIEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector		
								-		
								:		

· Picklist Print

Thursday, May 20, 2010 9:07:24 AM

Page 2

Work Order ID: 58935

Parent Item:

D205-596-107

Parent Item Name:

Crosstube Aft Extended

Comments:

IPP Rev:D□05.03.21□Added bending procedure□KJ/JLM IPP Rev:E 08-01-10 ECN 1075

IPP Rev F 08.04.28

Added bending & mat'l

EC verified by: DD

Start Date: 5/20/2010

Start Qty: 1.00

Required Date: 6/7/2010

Required Qty: 1.00

Component Item ID/ D3595-063-530

Replacement Mfg/

Manufactured

Bin **Primary** No

Last

Route 200

Upit of Qty on 96.0000

Qty per Kit Qty

Date

Status

RUBBER CUSHION

Location

FP

50030 51776 Loc Code

96 20

Loc Oty


76


Each

W/O:		WORK ORDER CHANGES										
DATE	STEP	PRO	OCEDURE CH	IANGE		В	у	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
									-			
Part No:		PAR #:	Fault Ca	tegory:		_ NCR: \	Yes N	o DQ	٨:	Date: _		
Resolution:								-				
NCR:			WORK OR	DER NON-	CONFORMA	NCE (N	VCR)		181			
DATE	STEP	Description of NC	Corrective Action Section			on B Sign &		Verification		Approval	Approval	
		Section A	Initial Chief Eng	Action	n Description Chief Eng		ogn & Date	Section	on C	Chief Eng	QC Inspector	
				•							*	
										_		
									ť			
				·								

DART AEROSPACE LTD	Work Order:	58935
Description: Crosstube High-High Aft	Part Number:	D205-596-107
Inspection Dwg: D205-596-107 Rev: B		Page 1 of 1

Required Dimension	Min	Max
Height	29.7	29.9
1/2 Span	52.4	52.6
Angle	49	52
Total Span	104.8	105.2





QC15 Inspection	
Date	

Rev	Date	Change	Revised by	Approved
Α	07.02.06	New Issue	KJ/JM	1
В	08.04.21	Dwg Rev updated	KJ/JM	16.
				

	•									•			
W/O:		WORK ORDER CHANGES											
DATE	STEP	PRO	OCEDURE CHA	NGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
				•									
Part No	•	PAR #:	Fault Cate	gory:	NCR: Yes No DQA: Date:								
		esolution:											
NCR:		\	WORK ORD	ER NON-CONFORM	IANCE	(NCR)						
DATE	STEP	Description of NC	Corrective Action Section B			- Veriii			Approval	Approvai			
		Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Secti	on C	Chief Eng	QC Inspector			
										-			
- , ,,,													
					-	···							
ı													
								İ					

PARTS LIST:

Qty	Part Number	Description
X	D205-596-107	CROSSTUBE ASSEMLBY, HI-HI AFT
1	D6008-180	CROSSTUBE /
2	D2940-1	SUPPORT
4	D3595-063-530	RUBBER CUSHION /
4	MS21920-28	CLAMP
A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299-947-100, TYPE II, CLASS 2 ADHESIVE)

GENERAL NOTES:

MATERIAL: MANUFACTURE FROM D6008-180 FINISHED LENGTH ≥ 127.28 ± 0.02

FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2 PAINT OUTSIDE PER DART 005 4.2

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) **BREAK SHARP EDGES: N/A**

IDENTIFICATION: SCRIBE DART PART NUMBER AND BATCH NUMBER IN THIS AREA WITH VIBRATING STYLUS

7) WEIGHT: 50 lbs

PART IS SYMMETRIC ABOUT CENTERLINE 8)

BEND PROGRESSIVELY WITH A MINIMUM OF 3 PASSÉS. MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D.

10) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.

11) APPLY A 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 TO THE SURFACE OF D2940-1 THAT WILL BE IN CONTACT WITH THE CROSSTUBE. LET CURE FOR 12 HOURS AFTER INSTALLATION AND PRIOR TO PACKAGING.

12) INSTALL MS21920-28 CLAMPS WITH D3595-Ø63-530 RUBBER CNSHIONS TO SECURE D2940-1 SUPPORT ON THE TOP SIDE OF THE CROSSTUBE. ENSURE CLAMPS ARE OPPOSITE CROSSTUBE SUPPORT.

NOTE: IT IS ACCEPTABLE TO SUBSTITUTE MS21920-28 CLAMPS WITH LONGER OR SHORTER MS21920-XX CLAMPS TO ACCOMODATE VARYING DIAMETERS. ENSURE THERE IS A MINIMUM OF 1.5 THREADS IN SAFETY ON THE NUTS.

13) TORQUE CLAMPS 80 TO 100 IN-LB

GH-DK H SUPPORT NOW MAGNOBONDED; REMOVE D2856-69Q-1009 ABRASION STRIP; UPDATED NOTES; В MB 07.12.03 ADDED D3595-063-530 CUSHION NEW ISSUE DS 02.11.20 REV. DESCRIPTION DATE RY DESIGN DART AEROSPACE LTD DRAWN HAWKESBURY, ONTARIO, CANADA CHECKED DRAWING NO. REV. B MFG. APPR. D205-596-107 SHEET 1 OF 2 APPROVED TITLE **SCALE** DE APPR. CROSSTUBE ASSEMBLY, HI-HI AFT NTS DATE COPYRIGHT @ 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DATA REOSPACE LETO. 07.12.03

SHOP COPY

RETURN TO **ENGINEERING**

UNCONTROLLED COPY


SUBJECT TO AMENDMENT

WITHOUT NOTICE

WORK ORDER

NO. 38935

-											
W/O:		WORK ORDER CHANGES									
DATE	STEP	PR	OCEDURE CHA	NGE	E	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
				**							
		PAR #:	Fault Cate	gory:	NCR: Yes No DQA:			4:	Date:		
Resolution:			Dispositio	n:	QA: N	/C Clo	sed:		Date:	· · · · · · · · · · · · · · · · · · ·	
NCR:			WORK ORD	ER NON-CONFORM	ANCE (NCR)					
DATE	STEP	Description of NC Section A	Initial Action Description		ction B Sign &		Verification Section C		Approval Chief Eng	Approval QC Inspector	
			Chief Eng	Chief Eng		Date	00011			QO MOPOSIOI	
			·							-	
							<u> </u>				



W/O:		WORK ORDER CHANGES											
DATE	STEP	PRO	OCEDURE CH	ANGE	ı	Зу	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
	:												
Part No:		PAR #:	Fault Cat	egory:	NCR: Yes No DQA: Date:								
Resolution:						A: N/C Closed: Date:							
NCR:			WORK OR	DER NON-CONFORM	ANCE (NCR)		. ,					
DATE	STEP	Description of NC	Description of NC Corrective Action			Section B Verifi			Approval	Approval			
		Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Secti		Chief Eng	QC Inspector			
										-			
		•											

DRAWING	NO.	TITLE	*-	REV. B	DART AE	ROSPACE LTD	D.E.O. N	0.	SHEET NO.	SCALE
D205-596-107 (CROSSTUBE			ENGINEERING ORDER		D205-596-107-B- <u>1</u>		SHEET 1 OF 1	NTS
DRAWN	<u> </u>	-	CHECKED	P U	MFG. APPR.	E	APPROVED	1mD	DE APPR.	
DATE	09.05.	01	DATE	09.06.15	DATE	09.06.15	DATE	09/06/12	DATE 09/06/16	


CHANGE:

ADD THE FOLLOWING CROSSTUBE ASSEMBLY:

Part Number	Description
D205-596-107B	CROSSTUBE ASSEMBLY (214 HI-HI AFT)

THE D205-596-107B CROSSTUBE HAS THE SAME PARTS LIST AS THE D205-596-107 CROSSTUBE. HOWEVER, INSTALL THE SUPPORTS AS SHOWN IN FIGURE 1 OF THIS ENGINEERING ORDER. THE NEW KIT IS OTHERWISE ASSEMBLED PER THE D205-596-107 CROSSTUBE.





w/o 58935

COPYRIGHT © 2009 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS

NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT

WITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:			V	ORK ORDER CHANG	ES			,	
DATE	STEP	PRO	OCEDURE CH	Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
		**************************************	·				- rod Mgi		
		•							
Part No:		PAR #:	Fault Ca	tegory:	NCR: Yes No DQA: Date:				
	Re	esolution:	Disposit	ion:	QA: N/C Clo	sed:			
NCR:			WORK OR	DER NON-CONFORM	ANCE (NCR)	0.17			
DATE	STEP	Description of NC			tion B	Verification	n Approval Chief Eng	Approval QC Inspector	
		Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C			
								-	
					, .				
			*	`					
							:		
				•					
			1	·					